A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

<u>LEGAL DESCRIPTION:</u>

KNOW ALL MEN BY THESE PRESENTS THAT THE UNDERSIGNED, BEING THE OWNERS OF THE PROPERTY DESCRIBED AS FOLLOWS:

A PARCEL OF LAND BEING ALL OF LOT 7, BLOCK 7, LOT 1, BLOCK 8, LOT 1, BLOCK 9, LOT 1, BLOCK 10, LOT I, BLOCK 11, LOT 1, BLOCK 12, LOT 1, BLOCK 13, LOT 1, BLOCK 14, LOT 1, BLOCK 15, TRACT T, TRACT U, TRACT Y, PLATTE RIVER COURT, CLEAR CREEK PLACE, RUSH CREEK PLACE, YAMPA RIVER PLACE, AND PORTIONS OF LONGS PEAK STREET, COLORADO RIVER AVENUE, NORTH GOLDEN EAGLE PARKWAY, YARROW STREET, AND ROYAL PINE STREET, BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT, RECORDED UNDER RECEPTION NO. 2018000039340, AND ALL OF TRACT Z, BRIGHTON CROSSING FILING NO. 2, RECORDED UNDER RECEPTION NO. C1074039, SITUATED IN THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION 2, WHENCE THE NORTH LINE OF SAID NORTHWEST QUARTER BEARS NORTH 89"19"55" EAST, A DISTANCE OF 2633.96 FEET, ALL BEARINGS HEREON ARE REFERENCED

THENCE SOUTH 44"0'30"EAST, A DISTANCE 4210.58 FEET TO THE SOUTHERLY RIGHT-OF-WAY OF LONGS PEAK STREET AS DEPICTED ON SAID BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT, AND THE POINT OF

THENCE ALONG SAID SOUTHERLY RIGHT—OF—WAY THE FOLLOWING TWO (2) COURSES;

- 1. NORTH 82°12'44" EAST, A DISTANCE OF 57.27 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 40.81 FEET;
- 2.SOUTHEASTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 97°29'57", AN ARC LENGTH OF 69.44

THENCE DEPARTING SAID SOUTHERLY RIGHT-OF-WAY, SOUTH 73°42'54" EAST, A DISTANCE OF 41.73 FEET TO SAID SOUTHERLY RIGHT-OF-WAY AND THE BEGINNING OF A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 59.70 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 89°42'44";

THENCE ALONG SAID SOUTHERLY RIGHT—OF—WAY THE FOLLOWING TWO (2) COURSES;

- 1. NORTHEASTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 89°53'23", AN ARC LENGTH OF 93.66
- 2.NORTH 89°36'06" EAST, A DISTANCE OF 219.39 FEET TO A POINT OF CUSP, CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 13.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 00°23'55" EAST, AND TO THE WESTERLY BOUNDARY OF LOT 1, BLOCK 7 AS SHOWN ON SAID BRIGHTON CROSSING FILING NO. 2 **6TH AMENDMENT:**

THENCE ALONG THE WESTERLY, SOUTHERLY, AND EASTERLY BOUNDARIES OF LOTS 1—6, INCLUSIVE, BLOCK 7 THE FOLLOWING FIVE (5) COURSES;

1. SOUTHWESTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 89'53'21", AN ARC LENGTH OF 20.40

2.NORTH 89°31'48" EAST, A DISTANCE OF 40.00 FEET

3.SOUTH 00°17'16" EAST, A DISTANCE OF 107.07 FEET:

4.NORTH 89°42'44" EAST, A DISTANCE OF 353.00 FEET;

5.NORTH 0017'16" WEST, A DISTANCE OF 120.72 FEET TO SAID SOUTHERLY RIGHT-OF-WAY;

THENCE ALONG SAID SOUTHERLY RIGHT—OF—WAY THE FOLLOWING TWO (2) COURSES;

- 1.NORTH 89°36'06" EAST, A DISTANCE OF 104.92 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 13.00 FEET;
- 2.SOUTHEASTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 90°06'37", AN ARC LENGTH OF 20.45

THENCE DEPARTING SAID SOUTHERLY RIGHT-OF-WAY, NORTH 89'31'48" EAST, A DISTANCE OF 40.00 FEET TO SAID SOUTHERLY RIGHT-OF-WAY AND THE BEGINNING OF A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 13.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 89°42'44" EAST:

THENCE ALONG SAID SOUTHERLY RIGHT—OF—WAY THE FOLLOWING TWO (2) COURSES;

- 1. NORTHEASTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 89*53'23", AN ARC LENGTH OF 20.40
- 2.NORTH 89°36'06" EAST, A DISTANCE OF 286.54 FEET TO THE EASTERLY BOUNDARY OF SAID BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT;

THENCE ALONG SAID EASTERLY BOUNDARY THE FOLLOWING FOUR (4) COURSES;

1. SOUTH 00°40'02" EAST, A DISTANCE OF 1129.72 FEET;

2.SOUTH 89°21'16" WEST, A DISTANCE OF 1005.88 FEET;

3.SOUTH 34°53'38" WEST, A DISTANCE OF 73.28 FEET;

4.SOUTH 1316'10" WEST, A DISTANCE OF 519.77 FEET TO THE NORTHEAST CORNER OF SAID TRACT Z, BRIGHTON CROSSING FILING NO. 2;

THENCE ALONG THE EASTERLY, SOUTHERLY, AND WESTERLY BOUNDARY OF SAID TRACT Z THE FOLLOWING FIVE

1. SOUTH 13°16'10" WEST, A DISTANCE OF 16.97 FEET;

2.SOUTH 13°28'57" EAST, A DISTANCE OF 137.26 FEET; 3.SOUTH 89°21'16" WEST, A DISTANCE OF 109.65 FEET;

4.NORTH 00°20'10" WEST, A DISTANCE OF 26.09 FEET;

5.NORTH 00"12'45" WEST, A DISTANCE OF 124.22 FEET TO THE SOUTHWEST CORNER OF SAID BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT;

THENCE ALONG THE WESTERLY BOUNDARY OF SAID BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT THE FOLLOWING FIFTEEN (15) COURSES;

1. NORTH 00°12'45" WEST, A DISTANCE OF 50.78 FEET;

2.NORTH 01°42'19" WEST, A DISTANCE OF 115.17 FEET;

3.NORTH 00°12'45" WEST, A DISTANCE OF 330.00 FEET; 4.NORTH 85°18'02" EAST, A DISTANCE OF 33.47 FEET;

5.NORTH 02°42'49" WEST, A DISTANCE OF 109.50 FEET;

6.NORTH 87°17'11" EAST, A DISTANCE OF 4.15 FEET; 7.NORTH 02°42'49" WEST, A DISTANCE OF 145.50 FEET;

8.SOUTH 87°17'11" WEST, A DISTANCE OF 16.40 FEET;

9. NORTH 00°12'45" WEST, A DISTANCE OF 427.60 FEET;

10. SOUTH 88°49'07" EAST, A DISTANCE OF 5.52 FEET; 11. NORTH 01°10'53" EAST, A DISTANCE OF 36.00 FEET;


12. NORTH 88°49'07" WEST, A DISTANCE OF 6.39 FEET;

13. NORTH 00°12'45" WEST, A DISTANCE OF 348.24 FEET;

14. NORTH 86°25'05" EAST, A DISTANCE OF 31.82 FEET;

15. NORTH 07°47'16" WEST, A DISTANCE OF 119.50 FEET TO THE POINT OF BEGINNING.

CONTAINING AN AREA OF 33.248 ACRES, (1,448,296 SQUARE FEET), MORE OR LESS.



VICINITY MAP

DEDICATION:

HAVE BY THESE PRESENTS LAID OUT, PLATTED AND SUBDIVIDED THE SAME INTO LOTS, BLOCKS, STREETS AND TRACTS AS SHOWN ON THIS PLAT UNDER THE NAME AND STYLE OF BRIGHTON CROSSING FILING NO. 2, 8TH AMENDMENT AND DO HEREBY GRANT TO THE CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO, FOR THE USE OF THE PUBLIC, TRACTS, THE PUBLIC WAYS AND LANDS HEREON SHOWN, AND THE EASEMENTS AS SHOWN FOR DRAINAGE AND

OWNER:

BROOKFIELD RESIDENTIAL (COLORADO) LLC, A NEVADA LIMITED LIABILITY COMPANY

8Y:	AS			
NAME		TITLE		
STATE OF)			
COUNTY OF)			
THE FOREGOING DEDIC	ATION AND OWNERSHIP	WAS ACKNOWLEDGED	BEFORE ME THIS	DAY OF
, 20.	, BY	AS _		OF
BROOKFIELD RESIDENTI	AL (COLORADO) LLC, A	NEVADA LIMITED LIA	BILITY COMPANY	
WITNESS MY HAND AN	D OFFICIAL SEAL.			
Y COMMISSION EXPIR	ES:			

OWNER:

BRIGHTON CROSSING METROPOLITAN DISTRICT NO. 7, A COLORADO SPECIAL DISTRICT

BY:	AS	
NAME	TITLE	
STATE OF)		
COUNTY OF		
THE FOREGOING DEDICATION AND OWNER	RSHIP WAS ACKNOWLEDGED BEFORE ME THIS $_$	DAY OF
, 20, BY	AS	OF
BRIGHTON CROSSING METROPOLITAN DIST	TRICT NO. 7, A COLORADO SPECIAL DISTRICT	

WITNESS MY HAND AND OFFICIAL SEAL.

MY COMMISSION EXPIRES: ____

NOTARY PUBLIC

NOTARY PUBLIC

SHEET INDEX

COVER SHEET SHEET 1

SHEET 2 GENERAL NOTES & TABLES SHEET 3 OVERALL LAYOUT

SHEETS 4-10 LOT DETAILS

LINE & CURVE TABLES SHEET 11

PURPOSE:

THE PURPOSE OF THIS AMENDMENT IS TO AMEND ALL OF LOT 7, BLOCK 7, LOT 1, BLOCK 8, LOT 1, BLOCK 9, LOT 1, BLOCK 10, LOT 1, BLOCK 11, LOT 1, BLOCK 12, LOT 1, BLOCK 13, LOT 1, BLOCK 14, LOT 1, BLOCK 15, TRACT T, TRACT U, TRACT Y, PLATTE RIVER COURT, CLEAR CREEK PLACE, RUSH CREEK PLACE, YAMPA RIVER PLACE, AND PORTIONS OF LONGS PEAK STREET, COLORADO RIVER AVENUE, NORTH GOLDEN EAGLE PARKWAY, YARROW STREET, AND ROYAL PINÉ STREET, BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT, RECORDED UNDER RECEPTION NO. 2018000039340, AND ALL OF TRACT Z, BRIGHTON CROSSING FILING NO. 2, RECORDED UNDER RECEPTION NO. C1074039, SITUATED IN THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO.

NOTICE IS HEREBY GIVEN:

1. ANY CONSTRUCTION ACROSS EXISTING SUBDIVISION LOT LINES IS IN VIOLATION OF THE SUBDIVISION REGULATIONS OF THE CITY.

2. ANY DIVISION OF AN EXISTING SUBDIVISION LOT, OR CONVEYANCE OF A PART OF AN EXISTING SUBDIVISION LOT VIOLATES THE CITY SUBDIVISION REGULATIONS UNLESS 1) APPROVED BY THE CITY OF BRIGHTON, OR 2) IS EXCEPTED FROM THE DEFINITION OF "SUBDIVISION" AS APPROVED BY THE SUBDIVISION REGULATIONS.

SURVEYOR'S CERTIFICATE

I, ANTHONY K. PEALL, A DULY LICENSED PROFESSIONAL LAND SURVEYOR, REGISTERED IN THE STATE OF COLORADO DO HEREBY CERTIFY THAT THERE ARE NO ROADS, PIPELINES, IRRIGATION DITCHES, OR OTHER EASEMENTS IN EVIDENCE OR KNOWN BY ME TO EXIST ON OR ACROSS THE HEREIN BEFORE DESCRIBED PROPERTY EXCEPT AS SHOWN ON THIS PLAT. I FURTHER CERTIFY THAT I HAVE PERFORMED THE SURVEY SHOWN HEREON, OR SUCH SURVEY WAS PREPARED UNDER MY DIRECT RESPONSIBILITY AND SUPERVISION, THAT THIS PLAT ACCURATELY REPRESENTS SAID SURVEY, AND THAT ALL MONUMENTS EXIST AS SHOWN HEREIN.

ANTHONY K. PEALL COLORADO LICENSED PROFESSIONAL LAND SURVEYOR, P.L.S. 38636 FOR AND ON BEHALF OF AZTEC CONSULTANTS, INC. 300 E. MINERAL AVE., SUITE 1 LITTLETON, CO. 80122 (303) 713-1897

NOTICE: ACCORDING TO COLORADO LAW, YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT, MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN HEREON.

NOTICE: PER THE STATE OF COLORADO BOARD OF LICENSURE FOR ARCHITECTS, PROFESSIONAL ENGINEERS, AND PROFESSIONAL LAND SURVEYORS RULE 6.2.2 THE WORD "CERTIFY" AS USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED. THE SURVEY REPRESENTED HEREON HAS BEEN PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH APPLICABLE STANDARDS OF PRACTICE AND IS BASED UPON MY KNOWLEDGE, INFORMATION AND BELIEF.

ATTORNEY'S CERTIFICATE:

I,, AN	I ATTORNEY A	AI LAW, DO HEREB'	Y CERTIFY THAT I F	HAVE EXAMINED
THE TITLE TO ALL OF THE LAND P	LATTED HERE	ON AND THAT TITL	E TO SUCH LANDS	IS IN THE
DEDICATORS FREE AND CLEAR OF	ALL LIENS, TA	AXES, AND ENCUME	BRANCES, SUBJECT	TO ALL MATTER
AS REFLECTED IN SCHEDULE B-2	OF PROPERT	Y INFORMATION BIN	NDER ORDER NO	
EFFECTIVE DATE OF	, ISSUED B	Y LAND TITLE GUAF	RANTEE COMPANY.	

ATTORNEY AT LAW	DATE

CITY COUNCIL APPROVAL:

REGISTRATION NO. ______

THIS IS TO CERTIFY THAT	THIS PLAT	AMENDMENT WAS ACCEPTED	AND APPROVED E	3Y THE CITY
COUNCIL OF THE CITY OF	BRIGHTON,	COLORADO ON THE	DAY OF	, 20

MAYOR: GREGORY MILLS

CITY CLERK: NATALIE HOEL

DATE OF 08-21-2019 300 East Mineral Ave., Suite PREPARATION: Littleton, Colorado 80122 Phone: (303) 713-1898 N/A SCALE: Fax: (303) 713-1897 SHEET 1 OF 11 LAST REVISED: 09/17/2024 AzTec Proj. No.: 69718-12 Drawn By: BAM

A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO SHEET 2 OF 11

GENERAL NOTES:

- 1. ANY PERSON WHO KNOWINGLY REMOVES, ALTERS OR DEFACES ANY PUBLIC LAND SURVEY MONUMENT OR ACCESSORY COMMITS A CLASS TWO (2) MISDEMEANOR PURSUANT TO STATE STATUTE 18-4-508, C.R.S.
- THIS SURVEY RELIES ON LAND TITLE GUARANTEE COMPANY REPRESENTING OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY PROPERTY INFORMATION BINDER ORDER NO. PIB70634614.2145519 EFFECTIVE DATE OF MAY 7, 2020 AT 5:00 P.M. NO TITLE SEARCH WAS MADE BY AZTEC CONSULTANTS, INC. TO DETERMINE OWNERSHIP, EASEMENTS, OR OTHER MATTERS OF RECORD.
- 3. BASIS OF BEARING: A PORTION OF THE NORTH LINE OF THE NORTHWEST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, BEING MONUMENTED AT THE WEST END (NORTHWEST CORNER OF SAID SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN) BY A 2" ILLEGIBLE ALUMINUM CAP IN RANGE BOX AND AT THE EAST END (NORTH QUARTER CORNER OF SECTION 2, T1N, R66W) BY A 3 1/4" ILLEGIBLE ALUMINUM CAP AND ASSUMED TO BEAR NORTH 89"19'55" EAST, A DISTANCE OF 2633.96 FEET.
- 4. THE SURVEYED PROPERTY SHOWN HEREIN LIES WITHIN OTHER AREAS, FLOOD ZONE "X", AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN, PER FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP (FIRM) NO. 08001C0355H, WITH A REVISED DATE OF MARCH 5, 2007. DETERMINATION OF FLOOD ZONE CLASSIFICATION IS DEPICTED BY SCALED MAP LOCATION AND GRAPHIC PLOTTING ONLY.
- 5. ALL DEDICATIONS AND GRANTS MADE TO THE CITY OF BRIGHTON ARE SUBJECT TO THE TERMS, CONDITIONS, AND RESTRICTIONS OF THE ANNEXATION AGREEMENT AND ALL THE AMENDMENTS THERETO AS EVIDENCED BY THE INSTRUMENTS RECORDED APRIL 13, 1987 IN BOOK 3301 AT PAGE 899, NOVEMBER 14, 1994 IN BOOK 4423 AT PAGE 908, NOVEMBER 20, 1995 IN BOOK 4630 AT PAGE 395, JUNE 19, 1996 IN BOOK 4776 AT PAGE 140, AND NOVEMBER 21, 1997 IN BOOK 5163 AT PAGE 219 IN THE RECORDS OF THE ADAMS COUNTY CLERK AND RECORDER'S OFFICE.
- 6. APPROVAL OF THIS DOCUMENT MAY CREATE A VESTED PROPERTY RIGHT PURSUANT TO ARTICLE 68 OF TITLE 24, COLORADO REVISED STATUTES AS AMENDED
- 7. PER C.R.S. 38-51-106, "ALL LINEAL UNITS DEPICTED ON THIS LAND SURVEY PLAT ARE U.S. SURVEY FEET. ONE METER EQUALS 39.37/12 U.S. SURVEY FEET, EXACTLY ACCORDING TO THE NATIONAL INSTITUTE OF
- 8. THIS PLAT IS SUBJECT TO THAT SPEER CANAL EASEMENT RECORDED IN BOOK 87 AT PAGES 167 & 168 ALONG WITH THAT GAS PIPELINE RIGHT OF WAY UNDER THE SPEER CANAL AS DESCRIBED IN BOOK 362 AT PAGE 292 IN SAID RECORDS.
- 9. THIS PLAT IS SUBJECT TO THAT MASTER UTILITY EASEMENT AGREEMENT RECORDED UNDER RECEPTION NO. C0355284 IN SAID RECORDS.
- 10. THIS PLAT IS SUBJECT TO THAT SEEPAGE EASEMENT AGREEMENT RECORDED UNDER RECEPTION NO. 2016000045409 IN SAID RECORDS.
- 11. THIS PLAT SUPERCEDES AND REPLACES THE BRIGHTON CROSSING FILING NO. 2, 6TH AMENDMENT SUBDIVISION PLAT FOR THE PROPERTY WITHIN THE BOUNDARY OF THIS PLAT.
- 12. THE DRAINAGE/ACCESS EASEMENT IS FOR PURPOSES OF INSPECTION AND ASSURANCE OF COMPLIANCE TO THE CITY OF BRIGHTON MUNICIPAL CODE. MAINTENANCE, REPAIR, AND LONG TERM FUNCTION OF THE DRAINAGE FACILITIES WILL BE THE ON-GOING RESPONSIBILITY OF THE PROPERTY OWNER.

RESIDENTIAL / SINGLE FAMILY NOTES:

- 1. A NON-EXCLUSIVE TEN (10) AND THIRTEEN (13) FOOT WIDE EASEMENT IS GRANTED AT RECEPTION NO. FOR THE USE OF ELECTRIC, TELEPHONE CABLE, TELEVISION, PEDESTRIAN SIDEWALKS AND POSTAL FACILITIES, OTHER UTILITIES INCLUDING SANITARY SERVICE LINES, WATER SERVICE LINES, GAS LINES AND WATER METER PITS, SHALL HAVE THE RIGHT TO CROSS AT SUBSTANTIALLY RIGHT ANGLES, BUT IN NO EVENT SHALL OTHER STRUCTURES BE ALLOWED IN THE ABOVE DESCRIBED AREAS. CONCRETE DRIVEWAYS ARE PERMISSIBLE AS LONG AS THEY CROSS AT SUBSTANTIALLY RIGHT ANGLES AND DO NOT EXCEED 32 FEET IN WIDTH. CITY FACILITIES SHALL BE ALLOWED IN THE EASEMENT.
- 2. A NON-EXCLUSIVE FIVE (5) FOOT WIDE GAS EASEMENT IS GRANTED AT RECEPTION NO. . UTILITIES INCLUDING SANITARY SERVICE LINES AND WATER SERVICE LINES SHALL HAVE THE RIGHT TO CROSS AT SUBSTANTIALLY RIGHT ANGLES, BUT IN NO EVENT SHALL OTHER STRUCTURES BE ALLOWED IN THE ABOVE DESCRIBED AREA. CONCRETE DRIVEWAYS AND SIDEWALKS ARE PERMISSIBLE AS LONG AS THEY CROSS AT SUBSTANTIALLY RIGHT ANGLES AND DO NOT EXCEED 32 FEET IN WIDTH.

SUBDIVISION DATA TABLE			
DESCRIPTION	DESCRIPTION NUMBER ACRES		
LOTS	161	19.673 ACRES	
SUPER LOTS	2	2.199 ACRES	
TRACTS	12	5.822 ACRES	
ROW 1 5.554 ACRES			
TOTAL 33.248 ACRES			

TRACT SUMMARY TABLE				
TRACT	AREA (SQ.FT)	AREA (AC ±)	USE	OWNED BY / MAINTAINED BY
TRACT QQ	2,723	0.063	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT SS	3,312	0.076	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT TT	5,799	0.133	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT UU	6,422	0.147	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT VV	6,952	0.160	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT WW	6,299	0.145	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT XX	3,818	0.088	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT YY	2,404	0.055	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT ZZ	9,600	0.220	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT AAA	9,520	0.219	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹
TRACT T	179,680	4.125	LANDSCAPE	BCMD7 ¹ / BCMD7 ¹ & SBDMD
TRACT Z	17,026	0.391	LANDSCAPE	BROOKFIELD RESIDENTIAL
TOTAL	253,555	5.822		


SBDMD = SOUTH BEEBE DRAW METRO DISTRICT BCMD7 = BRIGHTON CROSSING METRO DISTRICT NO. 7 1 - BCMD7 OR TITLE 32 METRO DISTRICT SERVING THE BRIGHTON CROSSING DEVELOPMENT.

> FOR AND ON BEHALF OF AZTEC CONSULTANTS, INC.


> > 08-21-2019

N/A





A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO SHEET 4 OF 11




Fax: (303) 713-1897

xTec Proj. No.: 69718-12

Drawn By: BAM


SHEET 4 OF 11

A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO



A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 6 OF 11



SHEET 6 OF 11

Drawn By: BAM

\zTec Proj. No.:69718-12


A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 7 OF 11




A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 8 OF 11



A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 9 OF 11



SHEET 9 OF 11


Drawn By: BAM

AzTec Proj. No.: 69718-12

BRIGHTON CROSSING FILING NO. 2, 8TH AMENDMENT A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF

THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 10 OF 11



BRIGHTON CROSSING FILING NO. 2, 8TH AMENDMENT A PORTION OF THE SOUTHEAST QUARTER OF SECTION 2, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE SIXTH PRINCIPAL MERIDIAN, CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO

SHEET 11 OF 11

LINE TABLE				
LINE BEARING LENGTH				
L1	N82°12'47"E	57.27'		
L2	S73°42'54"E	41.73'		
L3	N89°36'06"E	219.39'		
L4	S00°17'16"E	107.07		
L5	N89°42'44"E	353.00'		
L6	N00°17'16"W	120.72'		
L7	N89°36'06"E	104.92'		
L8	N89°31'48"E	40.00'		
L9	S89°36'06"W	286.54		
L10	S34°53'38"W	73.28'		
L11	S13°16'10"W	536.74		
L12	S13°16'10"W	536.74		
L13	S13°28'57"E	137.26'		
L14	S89°21'16"W	109.65		
L15	S00°20'10"E	26.09'		
L16	N00°12'45"W	124.22'		
L17	N00°12'45"W	50.78'		
L18	N01°42'19"W	115.17'		
L19	N00°12'45"W	330.00'		
L20	N85°18'02"E	33.47'		
L21	N02°42'49"W	109.50'		
L22	N87°17'11"E	4.15'		
L23	N02°42'49"W	145.50'		
L24	S87°17'11"W	16.40'		
L25	S88°49'07"E	5.52'		
L26	N01°10'53"E	36.00'		
L27	N88°49'07"W	6.39'		
L28	N86°25'05"E	31.82'		
L29	N07°47'16"W	119.50'		
L30	S89°42'44"W	2.00'		

	LINE TABLE	
LINE	BEARING	LENGTH
L31	S89°42'44"W	38.95'
L32	S89°42'44"W	37.95'
L33	S89°42'44"W	37.95
L34	N80°42'22"W	36.45
L35	N89°42'44"E	51.00'
L36	S61°50'19"E	5.00'
L37	S88°34'10"E	40.07
L38	S88°34'10"E	40.02'
L39	S88°34'10"E	40.02'
L40	S88°34'10"E	40.02'
L41	S88°34'10"E	40.02'
L42	N89°42'44"E	40.00'
L43	N89°42'44"E	40.00'
L44	N89°42'44"E	40.00'
L45	N89°42'44"E	40.00'
L46	N89°42'44"E	35.00'
L47	N89°42'44"E	34.00'
L48	N89°42'44"E	33.00'
L49	N89°42'44"E	33.00'
L50	N89°42'44"E	33.00'
L51	N89°42'44"E	33.00'
L52	N89°42'44"E	41.00'
L53	N89°42'44"E	41.00'
L54	N89°42'44"E	41.00'
L55	N89°42'44"E	41.00'
L56	N89°36'06"E	38.02'
L57	N89°42'44"E	41.00'
L58	N89°42'44"E	41.00'
L59	N89°42'44"E	41.00'
L60	N89°42'44"E	41.00'

	LINE TABLE				
LINE	LINE BEARING LENGTH				
L61	N89°42'44"E	41.00'			
L62	N89°42'44"E	41.00'			
L63	N89°42'44"E	41.00'			
L64	N89°42'44"E	41.00'			
L65	N89°42'44"E	41.00'			
L66	N89°42'44"E	41.00'			
L67	N89°42'44"E	41.00'			
L68	N89°42'44"E	66.95'			
L69	N89°42'44"E	32.00'			
L70	N89°42'44"E	49.15'			
L71	N89°42'44"E	41.00'			
L72	N89°42'44"E	60.00'			
L73	S42°17'11"W	9.98'			
L74	N89°42'44"E	41.00'			
L75	N89°42'44"E	41.00'			
L76	N89°42'44"E	41.00'			
L77	N89°42'44"E	41.00'			
L78	N89°42'44"E	41.00'			
L79	N89°42'44"E	41.00'			
L80	N89°42'44"E	41.00'			
L81	N89°42'44"E	41.00'			
L82	N89°42'44"E	41.00'			
L83	N89°42'44"E	41.00'			
L84	N89°42'44"E	41.00'			
L85	N89°42'44"E	41.00'			
L86	N89°42'44"E	41.00'			
L87	N89°42'44"E	41.00'			
L88	N89°42'44"E	41.00'			
L89	S87°17'02"W	46.14'			
L90	N87°17'11"E	40.90'			

LINE	BEARING	LENGTH	
L91	N89°42'43"E	11.00'	
L92	N45°17'16"W	21.22'	
L93	N45°17'16"W	32.53'	
L94	S00°17'17"E	40.13'	
L95	S45°17'16"E	18.39'	
L96	N89°42'44"E	41.00'	
L97	N89°42'44"E	60.00'	
L98	S00°17'16"E	8.50'	
L99	N89°42'44"E	40.00'	
L100	S08°38'42"E	47.71'	
L101	S89°42'44"W	17.00'	
L102	S00°17'17"E	73.85'	
L103	N00°17'16"W	19.41'	
L104	N00°17'16"W	19.23'	
L105	S74°21'18"W	21.54'	

LINE TABLE

	CURVE TABLE				
CURVE	DELTA	RADIUS	LENGTH		
C1	97°29'57"	40.81	69.44		
C2	89°53'23"	59.70'	93.66'		
С3	89°53'21"	13.00'	20.40'		
C4	90°06'37"	13.00'	20.45		
C5	89°53'15"	13.00'	20.39		
C6	88°00'00"	13.00'	19.97		
C7	1°28'10"	653.30'	16.75		
C8	2°00'00"	500.00'	17.45		
С9	2°00'00"	520.00'	18.15'		
C10	92°00'00"	13.00'	20.87		
C11	91°28'10"	13.00'	20.75		
C12	88°31'50"	13.00'	20.09		
C13	91°28'10"	13.00'	20.75		
C14	88°31'50"	13.00'	20.09		
C15	1°28'10"	480.00'	12.31'		
C16	1°28'10"	500.00'	12.82'		
C17	1°28'10"	520.00'	13.34		
C18	90°00'00"	13.00'	20.42'		
C19	90°00'00"	13.00'	20.42'		
C20	90°00'00"	13.00'	20.42		

CURVE TABLE					
CURVE	DELTA	RADIUS	LENGTH		
C21	13°12'38"	230.00'	53.03'		
C22	6°19'50"	250.00'	27.62'		
C23	77°08'54"	13.00'	17.50'		
C24	0°21'32"	270.00'	1.69'		
C25	13°12'38"	270.00'	62.25'		
C26	13°12'38"	250.00'	57.64'		
C27	9°31'28"	230.00'	38.23'		
C28	93°41'10"	13.00'	21.26'		
C29	90°00'00"	13.00'	20.42'		
C30	90°00'00"	13.00'	20.42'		
C31	11°28'01"	50.50'	10.11'		
C32	11 ° 28'01"	49.70'	9.95'		
C33	11 ° 28'01"	55.50'	11.11'		
C34	11 ° 28'01"	44.70'	8.95'		
C35	90°00'00"	13.00'	20.42'		
C36	72 ° 24'29"	42.50'	53.71'		
C37	92°29'58"	40.00'	64.58'		
C38	8°21'25"	635.00'	92.62'		
C39	8°21'25"	600.00'	87.51'		
C40	79°24'19"	26.00'	36.03'		

CURVE TABLE				
CURVE	DELTA	RADIUS	LENGTH	
C41	90°00'00"	56.00'	87.96'	
C42	28 ° 29'52"	14.50'	7.21'	
C43	15 ° 11'15"	20.50'	5.43'	
C44	17°48'34"	25.50'	7.93'	
C45	28 ° 29'52"	9.50'	4.73'	
C46	89 * 59'59"	13.00'	20.42	
C47	90°00'00"	13.00'	20.42'	

FOR AND ON BEHALF OF AZTEC CONSULTANTS, INC

SHEET 11 OF 11

08-21-2019

N/A

