RECORDING REQUESTED BY AND WHEN RECORDED MAIL TO: City of Brighton City Clerk	
THIS SDACE FOR RECORDED SCHOOL ONLY	

THIS SPACE FOR RECORDER'S USE ONLY

FIRST AMENDMENT TO THE DEVELOPMENT AGREEMENT DHI TELLURIDE

THIS FIRST AMENDMENT TO THE DEVELOPMENT AGREEMENT ("First Amendment") is made and entered into this _____ day of ______, 2025 by and between the CITY OF BRIGHTON, COLORADO, a home rule municipality of the Counties of Adams and Weld, State of Colorado (the "City") and Tamarack Land – Telluride Street, LLC, a Delaware limited liability company (the "Developer"). The City and the Developer are each a "Party" hereto and together, the "Parties".

WHEREAS, City and Developer entered into that certain Development Agreement DHI Telluride dated July 8, 2024 and recorded on July 19, 2024 in the real property records of the Adams County Clerk and Recorder at Reception No. 2024000039316 ("Original Agreement", and together with the First Amendment, the "Agreement") associated with the Final Plat for DHI Telluride attached hereto as **Exhibit A** and incorporated herein by this reference ("Final Plat" or "Development"); and

WHEREAS, Developer has requested to amend certain provisions of the Original Agreement; and

WHEREAS, the City Council of the City has consented to amend certain provisions of the Original Agreement.

NOW THEREFORE, in consideration of the foregoing, the Parties promise, covenant, and agree as follows:

AGREEMENT

- 1. <u>Recitals; Definitions</u>. The foregoing Recitals are incorporated as though fully set forth herein. Capitalized terms not defined in this Amendment shall have the same meaning as set forth in the Original Agreement.
- **2.** <u>Development Impact Fees and Other Fees.</u> Section 2.2 of the Agreement is hereby deleted in its entirety and replaced with the following:

Development Impact Fees and Other Fees. Developer shall pay all fees related to development of the Property described in the Final Plat(s) at the time of issuance of building permits for any or all portions of the Development. The amount of the fees shall be pursuant to the City of Brighton Development Impact Fee Summary Sheet, effective April 1, 2024, except for those fees which are collected by the City on behalf of other agencies and/or political subdivisions, including, but not limited to, fees collected on behalf of Metro Water Recovery, which shall be due and

payable in the amount in effect at the time of building permit issuance. Notwithstanding, if Developer fails to pull all building permits for the Development on or before December 31, 2025, then the amount of the fees for any outstanding permits shall revert to the fees in effect at the time of building permit issuance.

3. <u>Continuing Effect</u>. All other provisions of the Agreement not specifically amended herein shall remain in full force and effect.

[Remainder of page left intentionally blank]

[Signature page follows]

IN WITNESS WHEREOF, the parties hereto have caused their duly authorized officials to place their hands and seals upon this Amendment the day and year first above written.

	DEVELOPER: Tamarack Land – Telluride Street, LLC, a Delaware limited liability company By: Tamarack Land – Telluride Street, LLC, a Delaware limited liability company, its sole member
	By: Dale Willenbring Its: <u>Authorized Representative</u>
STATE OF) ss. COUNTY OF)	
· · · · · · · · · · · · · · · · · · ·	yledged before me this day of , in his capacity as Authorized Representative of member of Tamarack Land - Telluride, LLC, a
Witness my hand and official seal:	
	Notary Public My commission expires:
[Signatures conti	inue on following nage l


[Signatures continue on following page.]


CITY OF BRIGHTON, COLORADO
Michael Martinez, City Manager
ATTEST:
Natalie Hoel, City Clerk
APPROVED AS TO FORM:
Yasmina Gibbons, Deputy City Attorney


EXHIBIT A

Condensed Image of **DHI TELLURIDE**[FINAL PLAT STARTS ON NEXT PAGE]

COMMENSION OF THE CONTRE CHARGE CASO SCIENCE AS DESCRIBED AS TREATED AND ACCOUNTS OF THE CONTRE CHARGE CASO SCIENCE AS DESCRIBED AS DESCRIBED AND ACCOUNTS OF THE STORM LESS SEE AS DESCRIBED AND ACCOUNTS OF THE STORM LESS SEE AS DESCRIBED AND ACCOUNTS OF THE STORM LESS SEE AS DESCRIBED AND ACCOUNTS OF THE STORM LESS ACCOUNTS OF THE STORM LESS ACCOUNTS OF THE STORM LESS ACCOUNTS OF THE STORM CASO SEE AS DESCRIBED AS DES HAS BY THESE RESISTS UND OUT, PLATTED AND SHEWIND THE SUME BYD A LOT MAND EXCEMENTS, SEE MANN WITH THE PLANT AND EXCEMENTS AND EXCEMENT AND EXCEMENT AND EXCEMENT AND EXCEMENT AND EXCEMENT AND CONNEY TO THE CITY OF BRIGHTON THE EXCEMENTS SHOWN ON THE PLAT FOR THE PROPRIOTES STATED. SAID PARCEL CONTAINS 487,201 SQUARE FEET OR 11.18 ACRES, MORE OR LESS. A PARCO, OF LAND BEING A PART OF THE INSTRUMENT COURTER OF SCITICA 9, TOWNSHE'S I SOUTH, BANGE 66 BEST OF THE GITH PRINCIPAL MEDIUMA, RESISBED IN WINNAMED FOR AT BECEPTION NO. ZUSCOCOOCSIA IN THE ADMAS COUNTY CLERK AND BECCORET'S OFFICE, CITY OF BEHINTON, COUNTY OF ADMAS, STATE OF COLORADO, BEING MYRE PARTICULARLY DESCRIEDS AS FOLLOWS: onow all persons by these presents that tamarack land — telliride street, i.i.c, as the ower, of the following described parcel of land: Inthe exempts: NHOS Portings of Soll Registry Essaked as of the Exempts are other and the exempts of the control of the contro GRY THAT LEASENTS. THESE FROMES OF EAL REFERRY DESIGNATED AS DRY UNITY EXPENDENT ARE DRY UNITY EXPENDED FOR THE RESILIABILITY AND HER PROMEST OF THE THE FAMILIES AND HER PROMEST. TELESON LIES, AND HER PROMEST AND HER PROMEST. THE PROMEST OF THE SERVICE AND HER PROMEST. TELESON LIES, AND HER PROMESTANCES. THE PROMEST OF THE SERVICE AND HER SERVICE AND HER SOME THE PROMEST AND HER SERVICE AND HER SOME UNITY OF THE PROMESTANCE AND HE PROMESTANCE AND HER SOME UNITY OF THE PROMESTANCE AND HER SOME AND HER SOME AND HER SOME UNITY OF THE PROMESTANCE AND HER SOME AND HER SOME AND HER SOME OF THE PROMESTANCE AND HER SOME OF THE INITY EASIADRY, MOSE PRIMOSE OF BLA MENDERT EXSMAITS AS INITY EASIADRY, BLE INITY AND PRIMOSE FACILITY AND MAINTENANCE FACILITY AND FACILITY AND PRICE MAINTENANCE FACILITY AND FACILITY OF MAINTENANCE FACILITY AND FACILITY OF MAINTENANCE FACILITY AND FACILITY OF AN AMERICAL FACILITY AND FACILITY OF AN AMERICAN FACILITY AND FACILITY LOT 1 IS TO BE RETAINED BY THE OWNER AND WAY BE SUBJECT TO REPLATING. BASS OF REMINIS REMINIS ARE MEDIO ON THE EST LINE OF THE MICHIER'S CHARTE OF SCHOOL OF TURNERS PER SOUTH, BASS OR SECT OF THE HER PRINCIPAL MERSION ASSURED, AS BERNES COUNT OF ONLY ELST, AND BRIDE MEMBERTED AT THE MERTH CHARTER CHARTE OF SUD SCHOOL OF A FORM WITHOUT OF THE BLEIGHE 2.575 (LIMINIAL OF STAMET), COL, OFFT OF THEMES, N RAWLE SOV, AND WOMENDED AT THE COTTER CHARTE CHARTE OF SAID SCHOOL OF IN A FORM 3.55" ALIMANIA CAP, STAMETE, AMERICAN MESTICAL US 27299 2005. DIRANGE, MAN UTILITY EXCENSITY, THOSE PRETICES OF SEAL PROPERTY DESIGNATED ASS DRAWAGE EXCENSITY AND TRAVELS EXCENSITY AND TRAVELS EXCENSITY AND TRAVELS THE CONSTRUCTION AND AND ANADISMACE OF DIRECTOR DRAWAGE THESETO, TOCKINERS WITH A PROPERTUAL WORLD OF THE WEST, AND EXCENSIVE THE NET ALL THE CANADIST OF SIZELY, AND APPROXIMATE SAND EXCENSIVE AND ANADISMACE, AND EXCENSIVE AND ANADISMACE, AND EXCENSIVE AND ANADISMACE AND EXCENSIVE AND EXCENSIVE AND THE CONTROL WAS THE CONTROL OF TH THERE IS 1 LOT WITHIN DHI TELLURIDE. LOT 1 SIZE: 487,201 SQUARE PRET OR 11.18 ACKES, MORE OR LESS. Notice. Accidente do colerado lan you mist combenz any legal action based lega any refect in This surrey minin there years after you first doscore sous leffect, in no debit any any legation. Based drug any leffect in his surrey be combenzed wore than ten years from the date of the centrolation shown hencen. HARRIS KOCHER SMITH SITUATED IN THE NORTHWEST 1/4 OF SECTION 9, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE 6TH P.M. CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO SHEET 1 OF 6 Ä THE FORECOING INSTRUMENT WAS ACKNOWNEDGED BEFORE PRINCIPAL OF TAMARACK LAND — TELLURIDE STREET, LLC STATE OF COLORADO WITNESS MY HAND AND OFFICIAL SEAL: COUNTY OF MANAGING PRINCIPAL OWNER CERTIFICATE: Tamarack land — Telluride Street, I.C. 蘭白白白日 PLAT OF HOLLIS TRABET 蘭園園園日 VICINITY MAP ENGE RENE ACMESNY NOTARY PUBLIC 83 모 SET 18"X₄S REBAR WITH 1.25" BLUE PLASTIC CAP STAMPED: PLS 38162 PROPERTY CORNER NOT FOUND NOR SET FALLS IN WATER DRY UTILITY EASEMENT DEDICATED BY THIS PLAT DITCH EASEMENT DEDICATED BY THIS PLAT EASEMENT LINE FOUND #5 REBAR NO CAP FOUND YELLOW PLASTIC CAP STAMPED: PLS 19003 FOUND RED PLASTIC CAP STAMPED: MAJESTIC SURVEYING LS 38348 FOUND MONUMENT AS DESCRIBED SECTION LINE FOUND SECTION CORNER AS DESCRIBED UTILITY EASEMENT DEDICATED BY THIS PLAT dedicated by this plat BEFORE ME THIS ____ SITE **TELLURIDE** MEASANT MEASANT __ DAY OF AS MANAGING I, AMORIM MERRY A DILY RESISTEED PROTESSIMAL LAMO SIRKPICE IN THE STAIL OF COLOMAD, ON CHESPIC CERTY THAT THIS CALT TIELY, AMO COMECTY OF PROTESSION IS HE SENDLY OF A SIRKPI WARE OF THE STAIL OF ANY OF COTTOERS AND, BY HE SENDER WITH STAIL DEPENDING, AND THAT ALL MORNIBEDES DISTS IS SYMM HERSON. BY HAT SHAD PAUL HAS BEEN FRESHAED IN FALL LISS THAN 1:50,000 (SCOMO ORDER); AND THAT SHAD PAUL HAS BEEN FRESHAED IN FIGURE LINES OF THE STATE OF COLOMAD GRAINES WITH MANUMENTS, SIGNIFICANCY OF SUBMIT OF LINES. COMMUNITY DEVELOPMENT DIRECTOR, HOLLY PRATHER THE TIME TO ALL OF THE LAW PATTERSY AT LAW TO MESSEY CORDY THAT I HAVE EXAMED ENCOURTED THAT I HAVE EXAMED ENCOURTED AND CASH OF ALL LEAST, TAKES, AND EXHIBANCES, SUBJECT OF ALL MATTERS OF RECORD RETLICITE IN SOSTELUE F-2 OF THE TIME INSPANCE, COMMINTED THAT SOSTELUE F-2 OF THE TIME INSPANCE, COMMINTED THAT SOSTELUE F-2 OF THE TIME INSPANCE, COMMINTED THAT SOSTELUE F-2 OF THE TIME INSPANCE, COMPANY, INC., ISSING GFIEE DIT HATCHES AND THAT DESCRIBED AT, ADZE AT 1250 AM. THS PLAT CONTAINS ALL INFORMATION AS REQUIRED BY SECTION 38—33,3—29, COLORADO REVISED STATUTES. REGISTRATION NO. aaron Murphy Colorado Registered Professional Land Surveyor (138162) SURVEYOR'S CERTIFICATE: APPROVED THIS COMMUNITY DEVELOPMENT DIRECTOR APPROVAL ATTORNEY AT LAW ATTORNEY'S CERTIFICATE: ATTEST THE ABOVE ON THIS гот, вгоск DAY OF DAY OF SITE DATA CHART LOT SIZE N SQ. FT. OR 11.18 ACRES ± SHEET INDEX SHEET DESCRIPTION PROPERTY OWNER









	SHEET INDEX
SHEET NUMBER	SHEET DESCRIPTI
1	COVER, SITE DATA CHART,
2-4	PLAT SITE
5-6	LINE & CURVETABL

SHEE	SHEET INDEX
SHEET NUMBER	SHEET DESCRIPTION
1 COV	COVER, SITE DATA CHART, LEGEND
2 - 4	PLAT SITE
9 - 6	LINE & CURVE TABLES

1 COVER, SITE DATA CHART, LEGEND		2 - 4 PLAT SITE
----------------------------------	--	-----------------

END L23 S	L22 S	121	L20 S	L19 N	JNE	30' DRANGAGE
S69"52"24"W	S82′53′29™	S00'39'14"E	S0612'59"W	N89"24"28"E	BEARING	₹8
50.22	5.39	30.19'	8.27	56.39"	LENGTH	UTILITY EASEMENT

CURVE

320.45	RADIUS		
10'07'14"	DELTA	o BI	
56.60'	LENGTH	DITCH EASEMEN CURVE TABLE	
S14'16'00"E	LENGTH CHORD BEARING CHORD	E NT	
56.53	CHORD		

DELTA LENGTH CHORD BEARING	_	36.53	S1416 00 E	5147	06.60	100714	100	ð
DELTA								i
		CHUKE	BEAKING	CHUKU	LENGIH	LIA	DE	5
DITCH EASEMENT OURNE TABLE						•	2	,
DITCH EASEMENT				ľ	URVE TABL			
000 00 00 00 m				×	CH EASEME	DIT		
21 COO 10 CO H	J						l	l
						-		

2	2000070000	
21.84	S40"43"54"W	L17
55.42'	S31'00'21"W	16
54.41	S20'02'35"W	15
53.78'	S14'07'24"W	74
52.20'	S05'02'38"W	53
53.13	S05'34'09"W	12
28.99	S06'50'58"E	Ξ
24.88	S21'36'16"E	10
49.30	S21'40'46"E	6
47.81	S16'32'03"E	2
49.81	SI5'33'27"E	7
48.76	S15'59'41"E	6
47.33	\$10'01'22"E	15
45.91	S06'31'32"E	7
46.77	S04:51'33"W	E.
5.04	S06"12"59"W	۲2

SITUATED IN THE NORTHWEST 1/4 OF SECTION	FINAL PL
1/4 (ס
OF SECTION	AT

INAL PLAT OF DHI TELLURIDE

ORTHWEST 1/4 OF SECTION 9, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE 6TH P.M., CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO
SHEET 5 OF 6
FINAL PLAT

	Te	Te	_	_	_	_	-	-	-	-	-	-	-	-	_	_	_	-	-	-	-	-	-	-	_	-	-	-	_	_	_	-	_	-	_	_	_	_	_	\Box
67 S	-	+	53 S	L62 N	161 N	L60 N	L59 S	58	L57 S	L56 N	8	54 N	LS3 N	L52 N	L51 N	L50 N	L49 S	₩ N	L47 N	L46 N	L45 S	L44 N	43 N	L42 N	L41 S	L40 N	L39 S	۶ ع	L37 N	56 N	L35 N	L34 N	L33 N	L32 S	L3I N	L30 N	L29 N	L28 N	LINE	DRY
S89'20'46'W	M_60,65.00N	N89'20'46"E	S89'20'46"W	M_60,65.00N	N89'20'46'E	N00'39'14"W	S89"20"46"W	N00'39'47"W	S89'20'47"W	M_60,65.00N	M_60,62.00N	M_60,62.00N	N89'20'46"E	N00'39'14"W	N89'20'46"E	N00'53'00"W	S89'20'46"W	M_60,62.00N	N89"18'09"E	N00'39'14"W	S89"18"09"W	M_60,62,00N	N89"20"46"E	N00'39'14"W	S89'20'46"W	N00'39'14"W	S89'20'46"W	M_60,62,00N	M00.38,08,M	N89'20'46"E	N00'39'14"W	N85'55'28"E	N59'18'12"E	S89"20"46"W	N00'45'30"W	N00'39'14"W	N89"18"46"E	N00'39'14"W	BEARING	DRY UTILITY EASEMENT LINE TABLE
4.75	14.58	7.54	7.54	14.58'	13.78'	4.75	6.25	3.25	7.53	43.33"	48.58	41.33"	7.53	3.25	6.25	4.75	13.76	14.58	7.53	29.83	7.53	14.58	13.78	4.75	6.25	3.25	7.53	43.33	48.58	13.78	3.40"	24.11	43.37	10.83	0.78	31.01	7.00	15.00'	LENGTH	MENT
L107	105	L104	L103	L102	L101	L100	199	L98	L97	196	195	L94	L93	L92	L91	L90	L89	L88	L87	186	L85	L84	L83	L82	181	L80	۲/79	L78	L77	۲76	L75	L74	L73	L72	L71	۲70	L69	L68	JNL	9
N89'20'46'E	S89"20"46"W	S00'39'14"E	S89"20"46"W	S00'39'14"E	S57'43'14"E	\$26'09'32"W	N00'35'32"W	S00'39'14"E	N89"20"46"E	N00'39'14"W	S00'39'14"E	N89"20"46"E	N00'39'14"W	S00'39'14"E	N89'20'46"E	N00'39'14"W	\$1517'02'E	S89"20"46"W	N89"20"46"E	S00'39'14"E	N89"20"46"E	S1517'02"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	S89"20"46"W	S00'39'14"E	N89'20'46"E	S00'39'14"E	S89'07'41"W	N89"09"55"E	S00'39'14"E	M_+1,65,00N	S89"20"46"W	M_60,62,00N	N89"20"46"E	N00739'14"W	N89"20"46"E	BEARING	DRY UTILITY EASEMENT UNE TABLE
22.98	6.25	3.50'	16.75'	33.86	7.31	31.34	11.42	2.00"	8.00'	2.00"	2.00"	8.00'	2.00'	2.00'	8.00'	2.00"	29.90	6.03"	6.08'	3.50'	2.03"	21.29	19.24	7.41	3.25	6.25	4.75'	13.66	14.60'	7.41	7.41	13.57'	3.75	13.79	41.33	7.54	3.25	6.25	LENGTH	ENENT
[48]	148	145	L144	L142	L141	L140	L139	L138	L137	L136	L135	L134	L133	L132	L131	L130	L129	L128	L127	L126	L125	L124	L123	L122	L121	L120	L119	L118	L117	L116	L115	L114	L113	L112	ΕĦ	L110	L109	L108	JNE	P.
N00'39'14"W	N89'20'46'E	N00'39'14"W	N45'39'14"W	N00'39'14"W	S89'20'46"W	N00'39'42"W	N44"20"46"E	N45'39'14"W	S00'39'14"E	N89"20"46"E	S89"20"46"W	S01'09'40"E	S00'39'14"E	N89'20'46"E	S89'20'46"W	S00'39'14"E	N89'20'46"E	N89'20'46"E	S00'39'14"E	S89'20'46"W	S00'39'14"E	N89"20"46"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	N89"19"35"E	S00'39'14"E	M_95,61,68S	S00'39'14"E	N89"20"46"E	S00"53"01"E	S89'20'46"W	S89'20'46"W	300'39'14"E	N89"20"46"E	S89"20"46"W	M_20,21.00N	S89'20'46"W	BEARING	DRY UTILITY EASEMENT LINE TABLE
43.33	15.29	42.41	9.23	2.16"	6.25	2.91	4.39	1.37"	44.58	23.00'	9.15	6.29	42.17	22.97	22.97	43.08'	16.75	6.25	4.50	23.00'	15.58	16.75	8.00	16.75	12.68	16.75	8.00'	16.75	15.09'	22.98"	4.64	6.25	16.75	36.89'	23.00'	23.00"	9.85	24.62'	LENGTH	ENENT
18 18	88	58	L184	L183	L182	L181	L180	L179	L178	L177	L176	L175	L174	L173	L172	רוא	L170	L169	L168	L167	L166	L165	L164	L163	L162	L161	L160	L159	L158	L157	L156	L155	L154	LIS3	L152	L151	L150	L149	LINE	,
S00'24'39'E	S00'39'14'E	N89"20"46"E	S00'39'14"E	S89"20"53"W	S00'24'39"E	N89"20"46"E	S89"21"00"W	S89"20"46"W	N89"20'46"E	500'39'14"E	S89"20"46"W	S00'39'14"E	S89"20"46"W	500"24"39"E	S00"24"39"E	S00'39'14"E	S89"20"46"W	N00'39'14"W	N89"20"46"E	N00'39'14"W	N89"20'46"E	N00'39'14"W	N00'39'14"W	N00'39'14"W	N00'39'14"W	S89"20"46"W	N00'39'14"W	S89"20"46"W	N00'39'14"W	N89"20"46"E	N00'39'14"W	S89"20"42"W	N89"20"46"E	N00'39'14"W	S89"20"46"W	N00'39'14"W	N89"20"46"E	N00'39'14"W	BEARING	DRY UTILITY EASEMENT LINE TABLE
48.58	+	+	4.75	12.76	14.58	6.57	14.70	16.48	15.52	4.75	6.25	3.25	6.80'	41.33	48.58	9.33	13.67	9.33	21.58	3.75	15.29	46.58	48.58	9.50'	41.33	9.04	3.25	\neg	4.75	15.36	14.58	9.04	9.04	14.58	15.29	4.75	6.25	3.25	LENGTH	SEMENT
1228	1226	L225	L224	L223	L222	L221	L220	L219	L218	L217	1216	L215	L214	L213	L212	L211	L210	L209	L208	L207	L206	L205	L204	L203	L202	L201	L200	1199	L198	L197	L196	1195	L194	L193	L192	L191	L190	L189	JNE	
M_60,62,00N	N89"20"46"E	N00'39'14"W	N89"20"46"E	W_60,62,00N	S89"20"46"W	N89"20"46"E	N00'39'14"W	N89"20"56"E	W_60,65,00N	W.51,12,00N	M_60,62,00N	S89"20"46"W	N00'39'14"W	S89"20"46"W	N00'39'14"W	N89"20"46"E	M_60,62,00N	S89'07'41"W	N89'18'48"E	W_60,65,00N	S89"20"56"W	N00'39'04"W	S00'39'14"E	S00'39'14"E	S00'39'14"E	N89"20"46"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	N8978754"E	S89"22"38"W	S00'39'14"E	N89"20"46"E	S00'52'19"E	S89"20"45"W	S00'39'14"E	S89"21"11"W	S00'39'14"E	BEARING	DRY UTILITY EASEMENT UNE TABLE
18.08	9.79	8.91	6.01	37.68	15.80"	6.25	11.52"	9.55	37.07"	9.50'	41.33	9.55"	3.25	6.25	4.75'	15.80	14.58	9.55	9.55	14.89	6.39'	1.11"	6.38	43.32	3.26	6.25	4.74'	11.50	14.59	5.25	5.25	14.58'	11.48	4.75'	6.25	3.25	5.25	41.33	LENGTH	ENBNT
28 2	1266	1265	L264	L263	L262	L261	L260	L259	L258	L257	L256	L255	L254	L253	L252	L251	L250	L249	L248	L247	L246	L245	L244	L2 4 3	L2 4 2	L241	L240	L239	L238	L237	L236	L235	L234	L233	L232	L231	L230	L229	JNE	
N89'20'46'E	_	-	S00'39'15"E	N89'20'46"E	S00'38'54"E	N89'20'46"E	N00'39'14"W	S00'39'14"E	N89'20'46"E	N00'39'14"W	N89'20'46"E	N00'39'14"W	N89'20'46"E	N00'39'14"W	S00'39'14"E	N89'20'46"E	N00'42'06"W	N89'20'46"E		N89'20'46"E	M,60,65,00N	M_60,62,00N	-	N00'39'04"W	S89'20'46"W	N00'41'13"W	N89'20'46"E	\neg	$\overline{}$	M_60,62.00N	_	N00'39'14"W	S89'20'46"W	N00'39'14"W	N89"20"46"E	M_60,62.00N	S89"18"42"W	N89'20'46"E	BEARING	DRY UTILITY EASEMENT LINE TABLE
29.83	+	+	6.25	3.50	6.59	43.08	12.84	12.84	48.58	12.84	41.08	6.59	3.50	6.25	12.84	14.83	6.59	29.84	6.59	20.14	46.58	45.83	9.54	2.75	6.25	9.50'	6.26	1,42	9.54	39.92"	9.55	3.25	6.25	4.75	15.80	14.58	9.55	9.55	LENGTH	ENBUT



SHEET NUMBER SHEET DESCRIPTIO
SHEET NUMBER SHEET DESCRIPTION
1 COVER, SITE DATA CHART, LEGEND
2 - 4 PLAT SITE
5 - 6 LINE & CURVE TABLES

									L	Ш	ND																														
L308	L307	L306	L305	L304	L303	L302	L301	L300	1299	1298	1297	1296	1295	L294	1293	1292	L291	1290	L289	L288	L287	L286	1285	L284	L283	L282	L281	L280	1279	L278	1277	L276	L275	L274	1273	1272	L271	L270	1269	LINE	
N89'20'46"E	N00'39'14"W	N89'20'46"E	N00'39'14"W	N00'39'14"W	N00'39'14"W	N00'57'23"W	S89'20'46'W	W.91,11,00S	N00'10'04"E	S89'20'46"W	S00'51'53"E	S00'39'14"E	S00'39'14"E	N89"20"46"E	S00'39'14"E	N89"20"46"E	S00'35'32"E	N89'34'56"E	N00'35'32"W	N89'20'46"E	N89'20'44"E	3,91,6£	N89"20"46"E	N00'39'14"W	S00'39'14"E	N89"20"46"E	3,11,65,00S	N89'20'46"E	N00'39'14"W	N89"20"46"E	N00'39'14"W	3,41,6£,00S	N89'20'46"E	N00'39'14"W	N89'20'46"E	N00'39'14"W	S00'39'14"E	N89"20"46"E	N00'39'14"W	BEARING	DRY UTILITY EASEMENT LINE TABLE
6.25	3.25	7.25	43.33	48.58	44.58	9.33	45.30	9.29'	8.29'	26.38	20.60"	28.84	23.84	10.61	3.25	19.22'	6.45	56.32	8.34'	32.55	29.83	6.59'	14.83	12.82	6.25	3,50'	6.59'	43.08	12.84	48.58	12.84	12.84	41.08	6.59'	3.50'	6.25	12.84	14.83	6.59'	LENGTH	ENBUT
1348	L347	L346	545	L344	543	L342	1341	1340	L339	1338	L337	L336	L335	L334	1333	L332	L331	L330	L329	L328	L327	L326	L325	L324	L323	L322	L321	L320	1319	1318	L317	L316	1315	1314	1313	L312	L311	L310	L309	E	Ū
S00'39'14"E	S89"20"54"W	S00'39'14"E	N89'20'46"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	N89'20'46"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	S00'39'14"E	N89'18'42"E	3681618 T E	S00'39'14"E	S00'39'14"E	N89"20"46"E	S00'39'30"E	N89'20'46"E	S00'39'14"E	S89"20"46"W	S00'39'14"E	N8978'04"E	S00'39'14"E	S8919'37"W	S00'39'14"E	N89'20'46"E	300'53'00'E	S89"20"46"W	S00'39'14"E	S89"20"46"W	S00'39'14"E	N89'20'46"E	S00'34'23"E	W.*1,65.00N	S8978'03"W	N89'20'46"E	M_*1,62.00N	S89"20"46"W	W_1,62.00N	BEARING	DRY UTILITY EASEMENT LINE TABLE
4.75'	22.92"	14.58	16.75	8.00'	16.75'	13.83	16.75	8.00"	16.75	14.58	10.00'	20.50'	9.23'	48.58	43.08	7.04	3.50'	6.25	4.50	13.29	14.83	7.04"	29.84	7.04	14.58'	13.27	4.75	6.25	3.25'	7.04	41.33	13.30	3.75	13.58'	7.25'	7.25'	14.58	13.50	4.75	LENGTH	EMENT
L388	L387	L386	L385	L384	L383	L382	L381	L380	L379	L378	L377	L376	L375	L374	L373	L372	L371	L370	L369	L368	L367	L366	L365	L364	L363	L362	L361	L360	L359	L358	L357	L356	L355	L354	L353	L352	L351	L350	1349	INE.	D
S89"24"00"W	S00'39'14"E	M_11.62.00N	S89"24"00"W	S00'35'43"E	S89'20'46"W	S00'39'14"E	S89'07'04"W	N00'36'00"W	\$89"24"00"W	S00'39'14"E	S89'20'46"W	N00'39'14"W	S89"24"00"W	300'36'00'E	S89"20"46"W	M_00,95.00N	S89"24"00"W	S00'39'29"E	N00'39'14"W	S89"24"00"W	S00'39'14"E	S89"20"44"W	S89"24"00"W	S00'39'14"E	S89'20'46"W	S00'39'14'E	W.CC.01.68S	300'41'18"E	M_81,15.00N	S89"24"00"W	S69"59"28"W	S00'52'26"E	S89'20'46"W	S00'39'14"E	S89"20"55"W	S00'39'14"E	N89"20"46"E	S00'39'14"E	N89'20'46"E	BEARING	DRY UTILITY EASEMENT LINE TABLE
44.58	9.15	9.16	45.83	2.95	2.75'	6.25	5.25	9.23	14.09	2.98"	29.83	3.00'	14.58	9.27	3.25	3.03	43.34	9.32	9.32	44.58	9.37	9.50'	45.83	3.17	2.75'	6.25	7.50	2.45	11.92'	2.43	57.43	28.51	6.25	3.25	16.75	40.08	16.75	3.25	6.17	LENGTH	EMENT
L428	L427	L426	L425	L424	L423	L422	L421	L420	L419	L418	L417	L416	L415	L414	L413	L412	L411	L410	L409	L408	L407	L406	L405	L404	L403	L402	L401	L400	L399	L398	L397	L396	L395	L394	L393	L392	L391	L390	L389	LINE	0
S00'39'14"E	N89"20"46"E	N00'39'12"W	N89'20'46"E	N00'39'16"W	N89'20'46"E	S00'39'14"E	N89"20"46"E	N00'49'18"W	N89'20'46"E	S00'39'14"E	N89'20'46"E	N00'39'14"W	S00'39'14"E	N89'20'46"E	S00'39'22"E	N89'20'46"E	N00'39'14"W	N89'26'03"E	M_20,85,00N	N00'39'14"W	N89'20'56'E	S00"25"40"E	S89"02'29"E	N85'53'24"E	N59'18'12"E	N55'36'27"W	S89"24"00"W	S00'39'14"E	S89"20"46"W	N00'53'34"W	S89"24"00"W	S00'36'00"E	S89"20"46"W	N00'39'14"W	S89"20"46"W	N00'34'41"W	S89"24'00"W	S00'39'14"E	-	BEARING	DRY UTILITY EASEMENT LINE TABLE
12.50	43.33	6.25	3.25	6.25	4.75	12.50	14.58	6.25	29.85	6.25	14.58	12.50	6.25	3.25	7.25	41.33	13.50	6.15	41.51	4.55	13.33	7.25	10.98	25.63	37.92	10.76	12.10'	2.75	29.82	2.78	14.58	9.04	4.75	6.25	3.25	2.80"	43.34	9.09	9.11"	LENGTH	EMENT
																C101 N00 09 14 W 00.09	14 60 000	3 04 07 004	3,07,00,00F	14.0 100.000 E 4.00	N80000'46"E	NUOSOS AS	DE ADING	DRY UTILITY EASEMENT																	_

FINAL PLAT OF DHI TELLURIDE SITUATED IN THE NORTHWEST 1/4 OF SECTION 9, TOWNSHIP 1 SOUTH, RANGE 66 WEST OF THE 6TH P.M., CITY OF BRIGHTON, COUNTY OF ADAMS, STATE OF COLORADO SHEET 6 OF 6
FINAL PLAT